

Product Datasheet model uvex super OTG planet 9169 295



As of 08/2023

**UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189,
D-90766 Fürth**

1. Product Characteristics

- classic overspecs for prescription spectacle wearers with an innovative temple concept and a flat lens that offers a wide field of vision
- flexible side arms with soft-grip temple ends provide a comfortable, secure fit without pressure
- nose bridge designed for all-day comfort
- robust polycarbonate lens with uvex's proven supravision coating technology – permanent anti-fog and scratch-resistant lens
- UV400 – 100 % protection against dangerous UV radiation up to 400 nm
- a sustainable benefit: lenses can be replaced when required
- metal-free


2. Technical Details Body

Front piece

	Material	Sustainability aspect
Material	PA	proportionally bio-based material
Colour	anthracite	



Temple		
	Material	Sustainability aspect
Material	PA	proportionally bio-based material
	TPE	proportionally post-consumer-recyclate
Colour	anthracite, jade	
Marking		
Manufacturer 's ID code	W	
Applicable EN norm	166	
Impact resistance	F (45 m/s)	
Resistance to high speed particles at extremes of temperature	T	
Conformity symbol	CE	

3. Technical Details Lens

Material	PC, mass balanced
Thickness	2.1 mm at PD
Coating	uvex supravision excellence
Colour	clear
UV protection	UV400
Marking	
Filter	2C-1.2 (EN 170)
Manufacturer 's ID code	W
Optical class	1
Impact resistance	F (45 m/s)
Resistance to high speed particles at extremes of temperature	T
Scratch resistance	K
Antifog	N
Conformity symbol	CE
Factory symbol	

4. Logistical Information

Product

Weight	37g		
Dimensions (L x W x B) in approx. mm	 <p style="text-align: right;">picture only for reference</p>		
	80 x 153 x 58		
	Packing unit 1	Packing unit 2	Packing unit 3
EAN Code	4066853001393		
Quantity in pcs.	1	8	160
Dimensions (L x W x H) in approx. mm	 <p style="text-align: center;">picture only for reference</p>		
	80 x 155 x 54	185 x 290 x 97	600 x 400 x 400
Net weight in approx. g	37	304	5,920
Gross weight in approx. g	51	510	11,120
Country of Origin	Germany		

5. Miscellaneous

Standards	EN 166 + EN 170
PPE Category	Category II

*Unit: CO2 equivalent • Calculation basis: IPCC 2021 17 GWP 100a (based on ISO 14067) SimaPro 9.4.02 Database ecoinvent 3.8 • Calculation transport: Transport of the product incl. distribution surcharge of the product group • The CO2 values stated apply to the calculation period and may be subject to permanent changes • Scope: cradle-to-customer